

TMENERGY24

Sample ID: 2509AFL1640.6466
Strain: THC Energy Mints
Matrix: Ingestible
Type: Hard Lozenge
Unit Weight: 1.3418 g

Internal Lab ID: ATL-32104
Received: 09/16/2025
Completed: 09/24/2025
Batch#: TMENERGY24

Client
Tillmans Tranquils
Lic. #
4757 sw 51st street Davie, FL 33314
Davie, FL 33314



Summary

Test	Date Tested	Result
Batch		Complete
Cannabinoids	09/17/2025	Complete

Basic Potency

Complete

0.215% Total THC	ND Total CBD	0.408% Total Cannabinoids
----------------------------	------------------------	-------------------------------------

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa	0.001	0.003	ND	ND	CBN	0.001	0.003	ND	ND
CBDV	0.001	0.003	ND	ND	Δ 9-THC	0.001	0.003	0.215	2.88
CBDa	0.001	0.003	ND	ND	Δ 8-THC	0.001	0.003	ND	ND
CBGa	0.001	0.003	ND	ND	(6aR,9S)-d10-THC	0.001	0.004	ND	ND
CBG	0.001	0.003	ND	ND	(6aR,9R)-d10-THC	0.001	0.004	ND	ND
CBD	0.001	0.003	ND	ND	CBC	0.001	0.003	ND	ND
THCV	0.001	0.003	0.193	2.60	CBCa	0.001	0.003	ND	ND
Δ 8-THCV	0.001	0.004	ND	ND	THCa	0.001	0.003	ND	ND
THCVa	0.001	0.003	ND	ND	Total			0.408	5.48

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2
Date Tested: 09/17/2025
Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA)
ISO/IEC 17025:2017 Accreditation No. 118038

NT Not Tested Document ID: Moisture Content	NT Not Tested Document ID: Water Activity	Not Tested Document ID: Foreign Matter
---	---	---



Paulo Gonzalez
Laboratory Director
09/24/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.