

TMMELLOW24

Sample ID: 2508AFL1397.5758
Strain: THC Mellow Mints
Matrix: Ingestible
Type: Hard Lozenge
Unit Weight: 1.3254 g

Internal Lab ID: ATL-31403
Received: 08/05/2025
Completed: 09/03/2025
Batch#: TMMELLOW24

Client
Tillmans Tranquils
Lic. #
4757 sw 51st street Davie, FL 33314
Davie, FL 33314



Summary

| Test | Date Tested | Result |
|-------------------|-------------|----------|
| Batch | | Pass |
| Cannabinoids | 08/06/2025 | Complete |
| Residual Solvents | 08/29/2025 | Pass |
| Microbials | 08/30/2025 | Pass |
| Mycotoxins | 08/28/2025 | Pass |
| Pesticides | 08/28/2025 | Pass |
| Heavy Metals | 08/28/2025 | Pass |
| Foreign Matter | 08/30/2025 | Pass |

Basic Potency

Complete

| | | |
|---------------------------|---------------------------|------------------------------------|
| 0.17% Total THC | 1.58% Total CBD | 1.75% Total Cannabinoids |
|---------------------------|---------------------------|------------------------------------|

| Analyte | LOQ | Result | Result | Analyte | LOQ | Result | Result |
|-----------------|------|--------|---------|------------------|------|-------------|-------------|
| | % | % | mg/unit | | % | % | mg/unit |
| CBDVa | 0.00 | ND | ND | CBN | 0.00 | ND | ND |
| CBDV | 0.00 | ND | ND | Δ 9-THC | 0.00 | 0.17 | 2.3 |
| CBDa | 0.00 | ND | ND | Δ 8-THC | 0.00 | ND | ND |
| CBGa | 0.00 | ND | ND | (6aR,9S)-d10-THC | 0.00 | ND | ND |
| CBG | 0.00 | ND | ND | (6aR,9R)-d10-THC | 0.00 | ND | ND |
| CBD | 0.00 | 1.58 | 20.9 | CBC | 0.00 | ND | ND |
| THCV | 0.00 | ND | ND | CBCa | 0.00 | ND | ND |
| Δ 8-THCV | 0.00 | ND | ND | THCa | 0.00 | ND | ND |
| THCVa | 0.00 | ND | ND | Total | | 1.75 | 23.3 |

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2
Date Tested: 08/06/2025
Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDa)

| | | |
|--|--|---|
| NT Not Tested Document ID: Moisture Content | NT Not Tested Document ID: Water Activity | Pass Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3 Foreign Matter |
|--|--|---|



Paulo Gonzalez
Laboratory Director
09/03/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



TMMELLOW24

Sample ID: 2508AFL1397.5758

Internal Lab ID: ATL-31403

Client

Strain: THC Mellow Mints

Tillmans Tranquils

Matrix: Ingestible

Received: 08/05/2025

Lic. #

Type: Hard Lozenge

Completed: 09/03/2025

4757 sw 51st street Davie, FL 33314

Unit Weight: 1.3254 g

Batch#: TMMELLOW24

Davie, FL 33314

Pesticides

Pass

| Analyte | Limit | Result | Status | Analyte | Limit | Result | Status |
|----------------------|--------|--------|--------|-------------------------|-------|--------|--------|
| | PPB | PPB | | | PPB | PPB | |
| Abamectin | 300.0 | ND | Pass | Fludioxonil | 3000 | ND | Pass |
| Acephate | 3000 | ND | Pass | Hexythiazox | 2000 | ND | Pass |
| Acequinocyl | 2000 | ND | Pass | Imazalil | 100.0 | ND | Pass |
| Acetamiprid | 3000 | ND | Pass | Imidacloprid | 3000 | ND | Pass |
| Aldicarb | 100.0 | ND | Pass | Kresoxim Methyl | 1000 | ND | Pass |
| Azoxystrobin | 3000 | ND | Pass | Malathion | 2000 | ND | Pass |
| Bifenazate | 3000 | ND | Pass | Metalaxyl | 3000 | ND | Pass |
| Bifenthrin | 500.0 | ND | Pass | Methiocarb | 100.0 | ND | Pass |
| Boscalid | 3000 | ND | Pass | Methomyl | 100.0 | ND | Pass |
| Captan | 3000 | ND | Pass | Mevinphos | 100.0 | ND | Pass |
| Carbaryl | 500.0 | ND | Pass | Myclobutanil | 3000 | ND | Pass |
| Carbofuran | 100.0 | ND | Pass | Naled | 500.0 | ND | Pass |
| Chlorantraniliprole | 3000 | ND | Pass | Oxamyl | 500.0 | ND | Pass |
| Chlordane | 100.0 | ND | Pass | Pacllobutrazol | 100.0 | ND | Pass |
| Chlorfenapyr | 100.0 | ND | Pass | Parathion Methyl | 100.0 | ND | Pass |
| Chlormequat chloride | 3000 | ND | Pass | Pentachloronitrobenzene | 200.0 | ND | Pass |
| Chlorpyrifos | 100.0 | ND | Pass | Permethrin | 1000 | ND | Pass |
| Clofentezine | 500.0 | ND | Pass | Phosmet | 200.0 | ND | Pass |
| Coumaphos | 100.0 | ND | Pass | Piperonyl Butoxide | 3000 | ND | Pass |
| Cyfluthrin | 1000 | ND | Pass | Prallethrin | 400.0 | ND | Pass |
| Cypermethrin | 1000 | ND | Pass | Propiconazole | 1000 | ND | Pass |
| Daminozide | 100.0 | ND | Pass | Propoxur | 100.0 | ND | Pass |
| Diazinon | 200.0 | ND | Pass | Pyrethrins | 1000 | ND | Pass |
| Dichlorvos | 100.0 | ND | Pass | Pyridaben | 3000 | ND | Pass |
| Dimethoate | 100.0 | ND | Pass | Spinetoram | 3000 | ND | Pass |
| Dimethomorph | 3000 | ND | Pass | Spinosad | 3000 | ND | Pass |
| Ethoprophos | 100.0 | ND | Pass | Spiromesifen | 3000 | ND | Pass |
| Etofenprox | 100.0 | ND | Pass | Spirotetramat | 3000 | ND | Pass |
| Etoxazole | 1500.0 | ND | Pass | Spiroxamine | 100.0 | ND | Pass |
| Fenhexamid | 3000 | ND | Pass | Tebuconazole | 1000 | ND | Pass |
| Fenoxycarb | 100.0 | ND | Pass | Thiacloprid | 100.0 | ND | Pass |
| Fenpyroximate | 2000 | ND | Pass | Thiamethoxam | 1000 | ND | Pass |
| Fipronil | 100.0 | ND | Pass | Trifloxystrobin | 3000 | ND | Pass |
| Fonicamid | 2000 | ND | Pass | | | | |

Document ID: CoA-2 Pesticides Rev. 1, Test Method: TM-1

Date Tested: 08/28/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(b)



Paulo Gonzalez
Laboratory Director
09/03/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



TMMELLOW24

Sample ID: 2508AFL1397.5758

Internal Lab ID: ATL-31403

Client

Strain: THC Mellow Mints

Tillmans Tranquils

Matrix: Ingestible

Received: 08/05/2025

Lic. #

Type: Hard Lozenge

Completed: 09/03/2025

4757 sw 51st street Davie, FL 33314

Unit Weight: 1.3254 g

Batch#: TMMELLOW24

Davie, FL 33314

Microbials

Pass

| Analyte | LOD | Limit | Result | Status |
|---|-------|--------|--------------------|--------|
| | CFU/g | CFU/g | CFU/g | |
| Total Aerobic Count | 10 | | NR | NT |
| Aspergillus (niger, fumigatus, flavus, terreus) | 1 | 1 | Not Detected in 1g | Pass |
| Bile-Tolerant Gram-Negative Bacteria | | | NR | NT |
| Shiga toxin-producing E. Coli | 1 | 1 | Not Detected in 1g | Pass |
| Salmonella | 1 | 1 | Not Detected in 1g | Pass |
| Staphylococcus aureus | 10 | | NR | NT |
| Total Combined Yeast and Mold | 10 | 100000 | ND | Pass |

Document ID: CoA-3 Microbials Rev. 2, Test Method: TM-4.1, TM-4.2

Date Tested: 08/30/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020.

Foreign Matter

Pass

| Analyte | Limit | Result | Status |
|------------------------|-------------|-------------|--------|
| | % by weight | % by weight | |
| Packaging Contaminants | 0.01 | ND | Pass |
| Insects | 0.01 | ND | Pass |
| Feces | 0.005 | ND | Pass |
| Mold | 0.01 | ND | Pass |
| FM Other | | ND | Pass |
| Hair | 0.01 | ND | Pass |

Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3

Date Tested: 08/30/2025

Heavy Metals

Pass

| Analyte | LOQ | Limit | Result | Status |
|---------|------|-------|--------|--------|
| | µg/g | µg/g | µg/g | |
| Arsenic | 0.1 | 1.5 | ND | Pass |
| Cadmium | 0.1 | 0.5 | ND | Pass |
| Lead | 0.1 | 0.5 | ND | Pass |
| Mercury | 0.1 | 3 | ND | Pass |

Document ID: CoA-5 Heavy Metals Rev. 1, Test Method: NA

Date Tested: 08/28/2025



Paulo Gonzalez
Laboratory Director
09/03/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



TMMELLOW24

Sample ID: 2508AFL1397.5758

Internal Lab ID: ATL-31403

Client

Strain: THC Mellow Mints

Tillmans Tranquils

Matrix: Ingestible

Received: 08/05/2025

Lic. #

Type: Hard Lozenge

Completed: 09/03/2025

4757 sw 51st street Davie, FL 33314

Unit Weight: 1.3254 g

Batch#: TMMELLOW24

Davie, FL 33314

Residual Solvents

Pass

| Analyte | LOQ | Limit | Result | Status | Analyte | LOQ | Limit | Result | Status |
|---------------------|------|-------|--------|--------|--------------------|------|-------|--------|--------|
| 1,1 Dichloroethene | µg/g | µg/g | µg/g | | Ethylene Oxide | µg/g | µg/g | µg/g | |
| | 0.7 | 8 | ND | Pass | | 0.4 | 5 | ND | Pass |
| Ethylene Dichloride | 0.2 | 2 | ND | Pass | Heptane | 40 | 5000 | ND | Pass |
| 1,4-Dioxane | | | ND | Tested | Hexanes | | 250 | ND | Pass |
| 2,2-Dimethyl-Butane | | | ND | Tested | Isobutane | | | ND | Tested |
| 2,3-Dimethyl-Butane | | | ND | Tested | Isopentane | | | ND | Tested |
| 2-Butanol | | | ND | Tested | Isopropanol | 40 | 500 | ND | Pass |
| 2-Ethoxy-Ethanol | | | ND | Tested | Isopropyl-Acetate | | | ND | Tested |
| 2-Methyl-Pentane | | | ND | Tested | m+p Xylene | | | ND | Tested |
| 3-Methyl-Pentane | | | ND | Tested | Methanol | 20 | 250 | ND | Pass |
| Acetone | 59 | 750 | ND | Pass | Methylene Chloride | 10 | 125 | ND | Pass |
| Acetonitrile | 5 | 60 | ND | Pass | Butane | 71 | | ND | Tested |
| Benzene | 0.08 | 1 | ND | Pass | Hexane | 5 | | ND | Tested |
| Butanes | | 5000 | ND | Pass | Pentane | 59 | | ND | Tested |
| Chloroform | 0.2 | 2 | ND | Pass | Neopentane | | | ND | Tested |
| Cumene | | | ND | Tested | o-Xylene | | | ND | Tested |
| Cyclohexane | | | ND | Tested | Pentanes | | 750 | ND | Pass |
| Ethanol | 79 | 5000 | ND | Pass | Propane | 165 | 5000 | ND | Pass |
| Ethyl Acetate | 20 | 400 | ND | Pass | Tetrahydrofuran | | | ND | Tested |
| Ethyl-Benzene | | | ND | Tested | Toluene | 12 | 150 | ND | Pass |
| Ethyl Ether | 40 | 500 | ND | Pass | Trichloroethene | 2 | 25 | ND | Pass |
| Ethylene Glycol | | | ND | Tested | Xylenes | 12 | 150 | ND | Pass |



Document ID: CoA-6 Residual Solvents Rev. 2, Test Method: TM-3

Date Tested: 08/29/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c);



Paulo Gonzalez
Laboratory Director
09/03/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



TMMELLOW24

Sample ID: 2508AFL1397.5758

Internal Lab ID: ATL-31403

Client

Strain: THC Mellow Mints

Tillmans Tranquils

Matrix: Ingestible

Received: 08/05/2025

Lic. #

Type: Hard Lozenge

Completed: 09/03/2025

4757 sw 51st street Davie, FL 33314

Unit Weight: 1.3254 g


Batch#: TMMELLOW24

Davie, FL 33314

Mycotoxins

Pass

| Analyte | LOD µg/kg | LOQ µg/kg | Limit µg/kg | Result µg/kg | Status |
|------------------|--------------|--------------|----------------|-----------------|--------|
| B1 | 0.0226 | 0.0528 | | ND | Tested |
| B2 | 0.0329 | 0.0768 | | ND | Tested |
| G1 | 0.0046 | 0.0107 | | ND | Tested |
| G2 | 0.0108 | 0.0252 | | ND | Tested |
| Ochratoxin A | 0.0259 | 0.0604 | 20 | ND | Pass |
| Total Aflatoxins | | | 20 | ND | Pass |



Document ID: CoA-7 Mycotoxins Rev. 1, Test Method: TM-1
Date Tested: 08/28/2025



Paulo Gonzalez
Laboratory Director
09/03/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.