

VA Blue Dream 1560

Sample ID: 2604AFL0697.2388

Internal Lab ID: ATL-36260

Client

Strain: Blue Dream

Tillmans Tranquils

Matrix: Ingestible

Received: 04/30/2026

Lic. #

Type: Soft Chew

Completed: 05/18/2026

4757 sw 51st street Davie, FL 33314

Unit Weight: 10.9051 g

Batch#: TVA1560-BD-1

Davie, FL 33314



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	05/04/2026	Complete
Residual Solvents	05/14/2026	Pass
Microbials	05/15/2026	Pass
Mycotoxins	05/18/2026	Pass
Pesticides	05/18/2026	Pass
Heavy Metals	05/14/2026	Pass
Foreign Matter	05/15/2026	Pass

Basic Potency

Complete

0.243%

Total THC

7.317%

Total CBD

7.560%

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa	0.001	0.003	ND	ND	CBN	0.001	0.003	ND	ND
CBDV	0.001	0.003	ND	ND	Δ^9 -THC	0.001	0.003	0.243	26.50
CBDa	0.001	0.003	ND	ND	Δ^8 -THC	0.001	0.003	ND	ND
CBGa	0.001	0.003	ND	ND	(6aR,9S)-d10-THC	0.001	0.003	ND	ND
CBG	0.001	0.003	ND	ND	(6aR,9R)-d10-THC	0.001	0.003	ND	ND
CBD	0.001	0.003	7.317	797.93	CBC	0.001	0.003	ND	ND
THCV	0.001	0.003	ND	ND	CBCa	0.001	0.003	ND	ND
Δ^8 -THCV	0.001	0.003	ND	ND	THCa	0.001	0.003	ND	ND
THCVa	0.001	0.003	ND	ND	Total			7.560	824.43

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 05/04/2026


Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

NT
Not Tested
Document ID:
Moisture Content

NT
Not Tested
Document ID:
Water Activity

Pass
Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3
Foreign Matter




Lise Berthe-Laurent
Laboratory Director
05/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com

QA Testing

2 of 4

VA Blue Dream 1560

Sample ID: 2604AFL0697.2388

Internal Lab ID: ATL-36260

Client

Strain: Blue Dream

Tillmans Tranquils

Matrix: Ingestible

Received: 04/30/2026

Lic. #

Type: Soft Chew

Completed: 05/18/2026

4757 sw 51st street Davie, FL 33314

Unit Weight: 10.9051 g

Batch#: TVA1560-BD-1

Davie, FL 33314

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB			PPB	PPB	PPB	PPB	
Abamectin	13.280	39.840	300	ND	Pass	Fludioxonil	1.350	4.040	3000	ND	Pass
Acephate	13.710	41.120	3000	ND	Pass	Hexythiazox	1.330	4.000	2000	ND	Pass
Acequinocyl	1.350	4.040	2000	ND	Pass	Imazalil	13.430	40.280	100	ND	Pass
Acetamiprid	1.350	4.060	3000	ND	Pass	Imidacloprid	13.570	40.720	3000	ND	Pass
Aldicarb	13.280	39.840	100	ND	Pass	Kresoxim Methyl	13.600	40.800	1000	ND	Pass
Azoxystrobin	1.340	4.020	3000	ND	Pass	Malathion	13.570	40.720	2000	ND	Pass
Bifenazate	1.350	4.050	3000	ND	Pass	Metalaxyl	1.340	4.020	3000	ND	Pass
Bifenthrin	1.330	3.990	500	ND	Pass	Methiocarb	1.340	4.030	100	ND	Pass
Boscalid	1.350	4.040	3000	ND	Pass	Methomyl	13.470	40.400	100	ND	Pass
Captan	100.580	33.530	3000	ND	Pass	Mevinphos	13.510	40.520	100	ND	Pass
Carbaryl	13.600	40.800	500	ND	Pass	Myclobutanil	1.330	3.980	3000	ND	Pass
Carbofuran	1.330	3.990	100	ND	Pass	Naled	13.430	40.280	500	ND	Pass
Chlorantraniliprole	13.410	40.240	3000	ND	Pass	Oxamyl	13.470	40.400	500	ND	Pass
Chlordane	6.730	20.160	100	ND	Pass	Paclobutrazol	1.350	4.050	100	ND	Pass
Chlorfenapyr	13.400	40.200	100	ND	Pass	Parathion Methyl	13.520	40.560	100	ND	Pass
Chlormequat Chloride	13.520	40.560	3000	ND	Pass	Pentachloronitrobenzene	6.690	20.060	200	ND	Pass
Chlorpyrifos	13.370	40.120	100	ND	Pass	Permethrin	1.340	4.010	1000	ND	Pass
Clofentazine	1.350	4.060	500	ND	Pass	Phosmet	13.470	40.400	200	ND	Pass
Coumaphos	1.360	4.070	100	ND	Pass	Piperonyl Butoxide	1.340	4.020	3000	ND	Pass
Cyfluthrin	16.730	33.450	1000	ND	Pass	Prallethrin	13.470	40.400	400	ND	Pass
Cypermethrin	16.740	33.470	1000	ND	Pass	Propiconazole	1.350	4.040	1000	ND	Pass
Daminozide	13.320	39.960	100	ND	Pass	Propoxur	1.350	4.050	100	ND	Pass
Diazinon	1.340	4.010	200	ND	Pass	Pyrethrins			1000	ND	Pass
Dichlorvos	13.470	40.400	100	ND	Pass	Pyridaben	1.350	4.040	3000	ND	Pass
Dimethoate	1.350	4.060	100	ND	Pass	Spinetoram			3000	ND	Pass
Dimethomorph	1.340	4.020	3000	ND	Pass	Spinosad			3000	ND	Pass
Ethoprophos	1.340	4.010	100	ND	Pass	Spiromesifen	1.340	4.020	3000	ND	Pass
Etofenprox	13.450	40.360	100	ND	Pass	Spirotetramat	1.330	3.980	3000	ND	Pass
Etoxazole	1.340	4.010	1500	ND	Pass	Spiroxamine	1.330	3.990	100	ND	Pass
Fenhexamid	1.350	4.040	3000	ND	Pass	Tebuconazole	1.350	4.060	1000	ND	Pass
Fenoxycarb	1.350	4.040	100	ND	Pass	Thiacloprid	1.340	4.010	100	ND	Pass
Fenpyroximate	1.340	4.020	2000	ND	Pass	Thiamethoxam	1.330	3.980	1000	ND	Pass
Fipronil	1.360	4.070	100	ND	Pass	Trifloxystrobin	1.330	3.980	3000	ND	Pass
Flonicamid	1.330	4.000	2000	ND	Pass						

Document ID: CoA-2 Pesticides Rev. 1, Test Method: TM-1

Date Tested: 05/18/2026

Pesticide via LC-MS/MS and GC-MS/MS



Lise Berthe-Laurent
Laboratory Director
05/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com

QA Testing

3 of 4

VA Blue Dream 1560

Sample ID: 2604AFL0697.2388

Internal Lab ID: ATL-36260

Client

Strain: Blue Dream

Tillmans Tranquils

Matrix: Ingestible

Received: 04/30/2026

Lic. #

Type: Soft Chew

Completed: 05/18/2026

4757 sw 51st street Davie, FL 33314

Unit Weight: 10.9051 g

Batch#: TVA1560-BD-1

Davie, FL 33314

Microbials

Pass

Analyte	LOD	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Shiga Toxin-Producing E. coli	1	1	Not Detected in 1g	Pass
Aspergillus flavus	1	1	Not Detected in 1g	Pass
Aspergillus fumigatus	1	1	Not Detected in 1g	Pass
Aspergillus terreus	1	1	Not Detected in 1g	Pass
Aspergillus niger	1	1	Not Detected in 1g	Pass
Salmonella	1	1	Not Detected in 1g	Pass
Total Yeast & Mold	10	100000	ND	Pass

Document ID: CoA-3 Microbials Rev. 2, Test Method: TM-4.1, TM-4.2
Date Tested: 05/15/2026

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Aflatoxin B1	1.35	4.04		ND	Tested
Aflatoxin B2	1.33	4.00		ND	Tested
Aflatoxin G1	1.35	4.04		ND	Tested
Aflatoxin G2	1.33	4.00		ND	Tested
Ochratoxin A	13.47	40.40	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Document ID: CoA-7 Mycotoxins Rev. 1, Test Method: TM-1
Date Tested: 05/18/2026

Foreign Matter

Pass

Analyte	Limit	Result	Status
	% by weight	% by weight	
Mold, Mildew, Fungus, Hair, Or Insects	1% wt/wt or >10% total sample surface area	ND	Pass
Packaging Contaminants, Processing Waste, Or Other By-Products	1% wt/wt or >10% total sample surface area	ND	Pass
Feces	>0.5 mg/kg	ND	Pass
FM Other		ND	Pass

Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3
Date Tested: 05/15/2026



Lise Berthe-Laurent
Laboratory Director
05/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

VA Blue Dream 1560

Sample ID: 2604AFL0697.2388

Internal Lab ID: ATL-36260

Client

Strain: Blue Dream

Tillmans Tranquils

Matrix: Ingestible

Received: 04/30/2026

Lic. #

Type: Soft Chew

Completed: 05/18/2026

4757 sw 51st street Davie, FL 33314

Unit Weight: 10.9051 g

Batch#: TVA1560-BD-1

Davie, FL 33314

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
1,1-Dichloroethene		1.752	8	ND	Pass	n-Heptane		1.752	5000	ND	Pass
1,2-Dichloroethane		1.752	2	ND	Pass	Isobutane		1.761		ND	Tested
1,4-Dioxane		1.752		ND	Tested	Isopentane		0.584		ND	Tested
2,2-Dimethylbutane		0.350		ND	Tested	Isopropanol	25.766	500		ND	Pass
2,3-Dimethylbutane		0.350		ND	Tested	Isopropyl Acetate		1.752		ND	Tested
2-Butanol		1.752		ND	Tested	m-Xylene + p-Xylene		0.876		ND	Tested
2-Ethoxyethanol		3.504		ND	Tested	Methanol	17.500	250	<17.500	Pass	
2-Methylpentane		0.350		ND	Tested	Methylene Chloride		1.752	125	ND	Pass
3-Methylpentane		0.350		ND	Tested	n-Butane		0.877		ND	Tested
Acetone		1.752	750	ND	Pass	n-Hexane		0.350		ND	Tested
Acetonitrile	17.410		60	ND	Pass	n-Pentane		0.584		ND	Tested
Benzene		0.018	1	ND	Pass	Neopentane		0.581		ND	Tested
Chloroform		0.070	2	ND	Pass	o-Xylene		0.438		ND	Tested
Cumene		1.752		ND	Tested	Propane		7.057	5000	ND	Pass
Cyclohexane		1.752		ND	Tested	Tetrahydrofuran		1.752		ND	Tested
Ethanol		36.262	5000	ND	Pass	Toluene		2.133	150	ND	Pass
Ethyl Acetate		9.970	400	ND	Pass	Trichloroethene		1.752	25	ND	Pass
Ethylbenzene		0.438		ND	Tested	Hexanes			250	ND	Pass
Ethyl Ether		1.752	500	ND	Pass	Butanes			5000	ND	Pass
Ethylene Glycol		56.059		ND	Tested	Pentanes			750	ND	Pass
Ethylene Oxide		1.758	5	ND	Pass	Xylenes		12.000	150	ND	Pass

Document ID: CoA-6 Residual Solvents Rev. 2, Test Method: TM-3

Date Tested: 05/14/2026

Residual Solvents via HS-GC-MS

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Arsenic	17	48	1500	ND	Pass
Cadmium	17	48	500	ND	Pass
Lead	17	48	500	ND	Pass
Mercury	17	48	3000	ND	Pass

Document ID: CoA-5 Heavy Metals Rev. 1, Test Method: TM-9

Date Tested: 05/14/2026




Lise Berthe-Laurent
Laboratory Director
05/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.